

PRINTER RUSH
(PTO ASSISTANCE)

Application :	Examiner :	GAU :
<u>09/543679</u>	<u>Epps-Ford</u>	<u>1635</u>
From:	Location:	Date:
<u>CA</u>	<u>IDC</u> FMF FDC	<u>03-22-55</u>
Tracking #:		Week Date:
<u>06031583</u>		<u>11-08-04</u>


DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: *Continuing data cited in Specification can't be updated in PA10. The date rule prevents two of the provisional cases to be added in PA1M + the PCT date can not be added either.*

Please resolve.

Thank you 

[XRUSH] RESPONSE: *Continuity data will be modified by Examiner's Amendment per instructions set forth above.*

INITIALS: 

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04